

Further information on the past, recent and current status, loss of and threats to species in England can be found in:

Terrestrial Mammals

- Battersby, J (2005) UK mammals: species status and population trends. JNCC, Peterborough, 116pp.
- Birks, J D S (2008) The polecat survey of Britain 2004-2006. The Vincent Wildlife Trust, Ledbury 66pp.
- Birks, J D S & Kitchener, A C (Eds) (1999). The distribution and status of the polecat *Mustela putorius* in Britain in the 1990s. The Vincent Wildlife Trust, London, 152pp.
- Birks, J & Messenger J (2010). Evidence of Pine Martens in England and Wales 1996-2007. Vincent Wildlife Trust, Ledbury.
- Blackmore, M (1956) An occurrence of the mouse-eared bat *Myotis myotis* (Borkhausen) in England. Proc. Zoo. Soc. Lond., 127:201-203
- Harris, S & Yalden D W (Eds.) (2008) Mammals of the British Isles: handbook, 4th edition. The Mammal Society, Southampton, 799pp.
- Langley, P J W & Yalden, D W (1977). The decline of the rarer carnivores in Great Britain during the nineteenth century. Mammal Review 7: 95-116.
- Mitchell-Jones, A. J. Amori, G., Bogdanowicz, W., Kryštufek, B, Reijnders, P. J. H., Spitzenberger, F., Stubbe, M., Thissen, J. B. M., Vohralík, V. & Zima, J. (1999). *The Atlas of European Mammals*, The Academic Press, London, 496 pp.
- Phillips, W W A & Blackmore, M (1970). Mouse-eared bats *Myotis myotis* in Sussex. Journal of Zoology, 162: 520-521.
- Rope, G T (1885). On the range of the dormouse in England and Wales. The Zoologist, 9:201-213.
- Tapper, S (1992). *Game heritage*. Game Conservancy, Fordingbridge, 140pp.
- Walsh, A L & Harris, S (1996). Foraging habitat preferences of vespertilionid bats in Britain. Journal of Applied Ecology, 33: 508-518.
- Yalden, D. (1999) The History of British Mammals. T & A D Poyser, London, 305pp.

Cetaceans

- Addink, M. and Smeenk, C.S. (1999) The harbour porpoise *Phocoena phocoena* in Dutch coastal waters: analysis of stranding records for the period 1920-1994. Lutra, 41: 55-80.

- Aguilar, A. (1986) A review of old Basque whaling and its effect on the right whales (*Eubalaena glacialis*) of the North Atlantic Rep. Int. Whal. Commn, Special Issue 10: 191-199.
- Bryant, P.J. (1995) Dating remains of gray whales from the eastern North Atlantic Journal of Mammalogy, 76: 857-861.
- Camphuysen, C. J. (2004). The return of the harbour porpoise (*Phocoena phocoena*) in Dutch coastal waters. Lutra. 47: 113-122.
- Camphuysen, C.J. and Peet, G. (2006) *Whales and Dolphins of the North Sea*. Fontaine Uitgevers, Graveland & North Sea Foundation, Utrecht.
- Degryse, R. (1944) Vlaanderens Haringhedrijf walvischwangst in de Middelenewen Antwerpen. Seizoenen, 49: 1-108.
- Evans, P.G.H. (1980) Cetaceans in British Waters. Mammal Review, 10: 1-52.
- Evans, P.G.H. (1990) European cetaceans and seabirds in an oceanographic context. Lutra, 33: 95-125.
- Evans, P.G.H. (1992) *Status Review of Cetaceans in British and Irish Waters*. Report to UK Department of Environment. Sea Watch Foundation, Oxford. 98pp.
- Evans, P.G.H. and Scanlan, G. (1989) *Historical Review of Cetaceans in British and Irish Waters*. Report to Greenpeace Environmental Trust. UK Cetacean Group, Oxford. 108pp.
- Evans, P.G.H., Anderwald, P. and Baines, M.E. (2003) *UK Cetacean Status Review* Report to English Nature and the Countryside Council for Wales. Sea Watch Foundation, Oxford. 160pp.
- Hammond P.S. (2008) *Small cetaceans in the European Atlantic and North Sea (SCANS II)*. Final report to the European Commission under contract LIFE04NAT/GB/000245.
- Hammond, P.S., Berggren, P., Benke, H., Borchers, D.L., Collet, A., Heide-Jørgensen, M.P., Heimlich, S., Hiby, A.R., Leopold, M.F. & Øien, N. (2002) Abundance of harbour porpoise and other cetaceans in the North Sea and adjacent waters. Journal of applied Ecology, 39: 361-376.
- Herman, J.S. and Dobney, K.M. (2001) Evidence for Anglo-Saxon dolphin fishery in the North Sea. European Research on Cetaceans, 15: 161-165.
- Kayes, R.J. (1985) *The decline of porpoises and dolphins in the southern North Sea: a current status report*. Political Ecology Research Group, Oxford. 109pp.
- Kiszka, J.J., Hassani, S., and Pezeril, S. (2004) Distribution and status of small cetaceans along the French Channel coasts: using opportunistic records for a preliminary assessment. Lutra, 47: 33-46.

Kroger, R.H.H. (1986) *The decrease of harbour porpoise populations in the Baltic and North Sea*. University of Linköping, Sweden & University of Hamburg, Germany.

Kitchener, A.D., Mead, J.M., and Yalden, D.W. (2008) Gray Whale *Eschrichtius robustus*. Pp. 662-663. In: *Mammals of the British Isles* (Editors S. Harris & D.W. Yalden). The Mammal Society, Southampton.

Lindquist, O. (1993) Whaling by peasant fishermen in Norway, Orkney, Shetland, Faeroe Islands, Iceland and Norse Greenland: medieval and early modern whaling methods and inshore legal regimes. Pp. 17-54. In: *Whaling and History* (Editors B.L. Basberg, J.E. Ringstad, and E. Wexelsen). Kommandør Chr. Christensens Hvalfangstmuseum, Sandefjord, Norway.

Lindquist, O. (2000) The North Atlantic gray whale (*Eschrichtius robustus*): an historical outline based on Icelandic, Danish-Icelandic, English and Swedish sources dating from ca. 1000 A.D. to 1792. Centre for Environmental History and Policy, Universities of St Andrews and Stirling, Scotland. Occasional Papers 1: 1-53.

Mead, J.G and Mitchell, E.D. (1984) Atlantic Gray Whales. Pp. 33-53. In: *The Gray Whale* (Editors M.L. Jones, S.L. Swartz and S. Leatherwood). Academic Press, Orlando, Calif.

Nichols, C., Herman, J., Gaggioti, O.E., Dobney, K.M., Parsons, K. and Hoelzel, A.R. (2007) Genetic isolation of a now extinct population of bottlenose dolphins (*Tursiops truncatus*). *Proceedings of the Royal Society, Series B*, 274: 1611-1616.

Northridge, S. (1988) *Marine Mammals and Fisheries. A study of conflicts with fishing gear in British waters*. Report to Wildlife Link's Seals Group. IIED & Marine Resources Assessment Group, Centre for Environmental Technology, Imperial College of Science & Technology, London. 140pp.

Owens, C., Knowles, A., Gibbons, J.A.M., Williams, A.D., Harland, E., Browning, L. and Williams, R. (2001) An investigation of anthropogenic factors affecting sightings of Bottlenose Dolphins *Tursiops truncatus* off the Dorset coast. *European Research on Cetaceans*, 15: 188-193.

Ray, J. (1671) An account of the dissection of a porpus. *Philosophical Transactions of the Royal Society of London*, 6: 2220 & 2274.

Reeves, R.R., Smith, T.D. and Josephson, E.A. (2007) Near-Annihilation of a Species: Right Whaling in the North Atlantic. Pp. 39-74. In: *The Urban Whale* (Editors S.D. Kraus and R.M. Rolland). Harvard University Press, Cambridge, Mass.

Reijnders, P.J.H. 1992. Harbour porpoises, *Phocoena phocoena*, in the North Sea: numerical responses to changes in environmental conditions. *Netherlands Journal of Aquatic Ecology*, 26: 75-85.

- Sheldrick, M.C. (1989) Stranded Whale Records for the entire British coastline, 1967-1986. *Investigations on Cetacea*, 22: 298-329.
- Sheldrick, M.C. Chimonides, P.J., Muir, A.I., George, J.D., Reid, R.J., Kuiken, T., Iskjaer-Ackley, C. and Kitchener, A. (1994) Stranded Cetacean records for England, Scotland and Wales, 1987-1992. *Investigations on Cetacea*, 25: 5-28.
- Slijper, E.J. (1958) *Walvissen*. Centen, Amsterdam. 524pp.
- Smeenk, C.S. (1987) The harbour porpoise *Phocoena phocoena* (L., 1758) in the Netherlands: stranding records and decline. *Lutra*, 30, 77-90.
- Smet, W.M.A. de (1974) Inventaris van de walvisachtigen (Cetacea) van de Vlaamse kust en de Schelde. *Bull. Inst. R. Sci. Nat. Belg. (Biol.)*, 50(1): 1-156.
- Smet, W.M.A. de (1981) Evidence of Whaling in the North Sea and English Channel during the Middle Ages. *Mammals in the Seas. FAO Fisheries Series No. 5, Vol. 3*: 301-309.
- Smet, W.M.A. de (1981) Evidence of Whaling in the North Sea and English Channel during the Middle Ages. *Mammals in the Seas. FAO Fisheries Series No. 5(3)*: 301-309.
- Thomazi, A. (1947) *Histoire de la pêche*. Payot, Paris. 645pp.
- Tregenza, N.J.C. (1992) Fifty years of cetacean sightings from the Cornish coast, SW England. *Biological Conservation*, 59: 65-70.
- Tregenza, N.J.C., Berrow, S.D., Hammond, P.S. and Leaper, R. (1997) Harbour porpoise (*Phocoena phocoena* L.) by-catch in set gillnets in the Celtic Sea. *ICES Journal of Marine Science*, 54, 896-904.
- Tyson, E. (1680) *Phocaena, or the Anatomy of a Porpus*. London.
- Verwey, J. 1975. The cetaceans *Phocoena phocoena* and *Tursiops truncatus* in the Marsdiep area (Dutch Waddensea) in the years 1931-1973. *Nederlands Instituut voor Onderzoek der Zee*, 17: 1-153.
- Vinther, M. (1999) Bycatches of harbour porpoises (*Phocoena phocoena*) in Danish set-net fisheries. *Journal of Cetacean Research and Management*, 1(2): 123-135.
- Williams, A.D., Williams, R., Heimlich-Boran, J.R., Evans, P.G.H., Tregenza, N.J.C., Ridoux, V., Liret, C. and Savage, S. (1997) A preliminary report on an investigation into bottlenose dolphins (*Tursiops truncatus*) of the English Channel: a collaborative approach. *European Research on Cetaceans*, 10: 217-220.
- Willughby, F. (1685) *Ichthyographia*. London.
- Winship, A.J. (2009) *Estimating the impact of bycatch and calculating bycatch limits to achieve conservation objectives as applied to harbour porpoise in the North Sea*. University of St Andrews. PhD thesis. 262pp.

Witte, R.H., Baptist, H.J.M., and Bot, P.V.M. (1998) Increase of the harbour porpoise *Phocoena phocoena* in the Dutch sector of the North Sea. *Lutra*, 40: 33-40.

Wood, C.J. (1998) Movement of bottlenose dolphins around the south-west coast of Britain. *Journal of Zoology*, London, 246: 155-163.

Birds

Brown, AF and Grice, PV (2004). *Birds in England*, Poyser, London

Eaton, MA, Brown, AF, Noble, DG, Musgrove, AJ, Hearn, RD, Aebischer, NJ, Gibbons, DW, Evans, A and Gregory, RD 2009. Birds of Conservation Concern 3: the population status of birds in the United Kingdom, Channel Islands and Isle of Man. *British Birds* 102: 296–341

Gibbons, DW, Avery, MI and Brown, AF. Population trends of breeding birds in the United Kingdom since 1800. *British Birds*, 89, 291-305

Mitchell, IP, Ratcliffe, N Newton, S and Dunn, T (2004). *Seabird populations of Britain and Ireland*. Poyser, London

Reptiles and Amphibians

Beebee, TJC, Wilkinson, JW & Buckley, J. 2009. Amphibian Declines Are Not Uniquely High amongst the Vertebrates: Trend Determination and the British Perspective. *Diversity* 2009, 1, 67-88.

Fish

Bonfil, R., 1994. Overview of world elasmobranch fisheries. *FAO Technical Fisheries Technical Paper*, 341, 119 pp.

Brander, K., 1981. Disappearance of common skate *Raja batis* from Irish Sea. *Nature* 290, 48–49.

Catchpole, T. L., Frid, C. L. J., Gray, T. S., 2005. Discarding in the English north-east coast *Nephrops norvegicus* fishery: the role of social and environmental factors. *Fish.Res.*72, 45-54.

Clark, M.R., 1995. Experience with management of orange roughy (*Hoplostethus atlanticus*) in New Zealand waters, and the effects of commercial fishing on stocks over the period 1980± 1993. In: Hopper, A.G. (Ed.), *Deepwater Fisheries of the North Atlantic Oceanic Slope*. Kluwer Academic Publishers, Dordrecht, Netherlands, pp. 251±266.

Dulvy, N.K., Metcalfe, J.D., Glanville, J., Pawson, M.G., Reynolds, J.D., 2000. Fishery stability, local extinctions and shifts in community structure in skates. *Conservation Biology* 14, 283–293.

- Ellis, J.R., Clarke, M.W., Cortés, E., Heessen, H.J.L., Apostolaki, P., Carlson, J.K., Kulka, D.W., 2008. Management of elasmobranch fisheries in the North Atlantic. In: Payne, A., Cotter, J., Potter, T. (Eds.), *Advances in Fisheries Science. 50 years on from Beverton and Holt*. Blackwell Publishing, Oxford, pp. 184–228, xxi + 547 pp.
- FAO., 1992. *FAO Yearbook. Fishery statistics: catches and landings*, volume 74. *FAO Fish. Series* 43. 677 p.
- FAO., 2005. *FAO Yearbook of Fishery Statistics: catches and landings*, volume 100/2. catches and landings production.
- FAO, 2008. Fisheries Department, Fishery Information, Data and Statistics Unit. *FISHSTAT Plus: Universal Software for Fishery Statistical Time Series (Version 2.3)*. Capture production 1950–2007.
- Fromentin, J.-M., Powers, J.E., 2005. Atlantic bluefin tuna: population dynamics, ecology, fisheries and management. *Fish Fish.* 6, 281–306.
- Garibaldi, L. and Limongelli, L. (2003) Trends in Oceanic Captures and Clustering of Large Marine Ecosystems: Two Studies Based on the FAO Capture Database. *FAO Fisheries Technical Paper No. 435*, Rome, 71 pp. Clark, M. (2001) Are deepwater fisheries sustainable? The example of orange roughy (*Hoplostethus atlanticus*) in New Zealand. *Fisheries Research* 51, 123–135.
- Haaland, T., 1923. Et nyt redskap til fangst av makrelstørje m. m. (English: A new gear for catching tuna). *Norske Fiskeritidende* 42, 319–331.
- Hamre, J., 1958. Tuna investigations in Norwegian coastal waters 1954–1958. *Ann. Biol. (ICES)* 15, 197–211.
- Hareide, N.-R., Myklevoll, S., Garnes, G., Wammer, A.W., Berg, V., Moe, E., 2000. Forsøksfiske etter makrellstørje (*Thunnus thynnus*) August–September 1998 (in Norwegian; English title: Experimental bluefin tuna (*Thunnus thynnus*) fishing August–September 1998), No. A° 9910. Møreforskning A° lesund and Institute of Marine Research, Bergen, Norway.
- Hamre, J., Lozano, F., Rodriguez-Roda, J., Tiews, K., 1966. Report from the bluefin tuna working group. *ICES Stat. Newslett.* 26, 1–34.
- Hassan, R., Scholes, R., Neville, A., 2005. *Ecosystems and Human Well-Being: Current state and trends*. Findings of the Conditions and Trends Working Group of the Millennium Ecosystem Assessment. Island Press, Washington, D.C.
- Hsieh, C.H., Reiss, C.S., Hewitt, R.P., Sugihara, G. 2008. Spatial analysis shows that fishing enhances the climatic sensitivity of marine fishes. *Can.J.Fish.Aquat.Sci.* 65 (5): 947-961
- ICCAT, 2003. Report of the 2002 Atlantic bluefin tuna stock assessment session (Madrid, Spain, July 22–30, 2002). *ICCAT Coll. Vol. Sci. Pap.* 55, 710–937.

ICCAT. 2006. Report of the 2006 Atlantic bluefin tuna stock assessment session (Madrid, Spain—June 12 to 18, 2006). ICCAT SCRS/2006/013, 1–137. ICCAT, Madrid, Spain.

ICES., 2008. Report of the Working Group on Elasmobranch Fishes (WGEF). 3–6 March 2008, ICES Headquarters. ICES CM 2008/ACOM:16.

Iglesias, P.S., Toulhoat, L., Sellos, D.Y. 2009. Taxonomic confusion and market mislabelling of threatened skates: important consequences for their conservation status. Aquatic Conservation: Marine and Freshwater Ecosystems. In press.

Kelleher, K., 2005. Discards in the world's marine fisheries: an update. FAO Fisheries Technical Paper No. 470. Food and Agriculture Organization of the United Nations, Rome, Italy

Koslow, J.A., Bax, N.J., Bulman, C.M., Kloser, R.J., Smith, A.D.M., Williams, A., 1997. Managing the fish down of the Australian orange roughy resource. In: Hancock, D.A., Smith, D.C., Grant, A., Beumer, J.P. (Eds.), Developing and Sustaining World Fisheries Resources: The State of Science and Management. CSIRO, Melbourne, Australia, pp. 558±562.

Mather, F.J., Mason, J.M., Jones, A.C., 1995. Historical document: life history and fisheries of Atlantic bluefin tuna. NOAA Technical Memorandum NMFS-SEFSC-370, No. 370. US Department of Commerce, NOAA, NMFS, Southeast Fisheries Science Center.

MacKenzie, B.R., Myers, R.A. 2007. The development of the northern European fishery for north Atlantic bluefin tuna (*Thunnus thynnus*) during 1900–1950. Fish Res 87, 229–239 (doi:10.1016/j.fishres.2007.01.013).

MacKenzie, B.R., Mosegaard, H., Rosenberg, A.A. 2009. Impending collapse of bluefin tuna in the northeast Atlantic and Mediterranean. Conservation letters 2, 25-34.

Merrett, N.R. and Haedrich, R.L. 1997. Deep-Sea Demersal Fish and Fisheries. Chapman & Hall, London.

Morato, T., Watson, R., Pitcher, T.J., Pauly, D. 2006. Fishing down the deep. Fish and Fisheries, 2006, 7, 24-34.

Ono, S. 2004. Science of Tuna. Tokyo, Japan: Seisandaou Books.

Pauly, D., Christensen, V., Dalsgaard, J., Froese, R. & Torres, F. Jr., 1998. Fishing down marine food webs. Science 279, 860–863

Rogers, S.I., Ellis, J.R., 2000. Changes in the demersal fish assemblages of British coastal waters during the 20th century. ICES Journal of Marine Science 57, 866–881.

Stevens, J.D., Bonfil, R., Dulvy, N.K., Walker, P.A., 2000. The effects of fishing on sharks, rays, and chimeras (chondrichthyans), and the implications for marine ecosystems. ICES Journal of Marine Science 57, 476–494.

UNEP., 1991. The State of the World Environment. United Nations Environment Programme. Nairobi, 48 p.

Invertebrates

Bratton, J.H. (editor) 1991. *British Red Data Books: 3. Invertebrates other than insects*. Joint Nature Conservation Committee. Peterborough.

Shirt, D.B. (editor) 1987. *British Red Data Books: 2 Insects*. Nature Conservancy Council, Peterborough.

Vascular Plants

Cheffings, C. M., Farrell, L. (eds), Dines, T. D., Jones, R. A., Leach, S. J., McKean, D. R., Pearman, D. A., Preston, C. D., Rumsey, F. J. & Taylor, I. 2005. The Vascular Plant Red Data List for Great Britain. *Species Status 7*: 1-116. Joint Nature Conservation Committee, Peterborough.

Houston, L., Roberston, A., Jones, K., Smith, S.C.C., Hiscock, S.J. & Rich, T.C.G. 2009. An account of the Whitebeams (*Sorbus* L., Rosaceae) of Cheddar Gorge, England, with description of three new species. *Watsonia*, 27: 283-300.

IUCN 2001. *IUCN Red List Categories and Criteria: Version 3.1*. IUCN Species Survival Commission, Gland, Switzerland and Cambridge, UK.

IUCN 2003. *Guidelines for Using the IUCN Red List Categories and Criteria*. IUCN Species Survival Commission, Gland, Switzerland and Cambridge, UK.

Leach, S. J. 2007. The Vascular Plant Red Data List for Great Britain: Year 1 Amendments. *BSBI News* 104: 19-21.

Leach, S. J. 2010, in press. The Vascular Plant Red Data List for Great Britain: Year 2 Amendments. *BSBI News* 113.

Marren, P. 2000. *Where have all the flowers gone? A study of local extinctions as recorded in the county Floras*. Plantlife, London.

Marren, P. 2001. "What time hath stole away": local extinctions in our native flora. *British Wildlife*, 12: 305-310.

Preston, C. D. 2000. Engulfed by suburbia or destroyed by the plough: the ecology of extinction in Middlesex and Cambridgeshire. *Watsonia*, 23: 59-81.

Preston, C. D. 2007. Which vascular plants are found at the northern or southern edges of their European range in the British Isles? *Watsonia*, 26: 253-269.

- Preston, C. D. & Hill, M. O. 1997. The geographical relationships of British and Irish vascular plants. *Botanical Journal of the Linnean Society*, 124: 1-120.
- Preston, C. D., Pearman, D. A. & Dines, T. D. (eds) 2002. *New Atlas of the British & Irish Flora*. Oxford University Press, Oxford.
- Preston, C. D., Pearman, D. A. & Hall, A. R. 2004. Archaeophytes in Britain. *Botanical Journal of the Linnean Society*, 145: 257-294.
- Rich, T.C.G., Harris, S.A. & Hiscock, S.J. 2009. Five new *Sorbus* (Rosaceae) taxa from the Avon Gorge, England. *Watsonia*, 27: 217-228.
- Rich, T.C.G. & Proctor, M.C.F. 2009. Some new British and Irish *Sorbus* L. taxa (Rosaceae). *Watsonia*, 27: 207-216.
- Sell, P & Murrell, G. 1996. *Flora of Great Britain and Ireland, Vol. 5*. Cambridge University Press, Cambridge.
- Taylor, I. 2006. *Priorities for vascular plant conservation in England. Part 1: An England-level threat/responsibility analysis of taxa listed in The Vascular Plant Red List for Great Britain*. Unpublished report (available as pdf). English Nature, Peterborough.
- Walker, K. J. 2003. One species lost every year? An evaluation of plant extinctions in selected vice-counties since 1900. *Watsonia*, 24: 359-374.
- Walker, K. J. 2007. The last thirty five years: recent changes in the flora of the British Isles. *Watsonia*, 26: 291-302.
- Walker, K. J. 2009. *Ecological Changes in the British Flora*. PhD Thesis, University of Durham.

Mosses, Liverworts, Hornworts, Fungi and Lichens

- Church, JM *et al.* (2001). *British Red Data Books: Mosses and Liverworts*. JNCC, Peterborough.
- Evans, S. Henrici, A and Ing, B (2008) *The red data list of threatened British fungi (preliminary assessment)* British Mycological Society
- Hill. MO 1991- 4. *Atlas of the bryophytes of Britain and Ireland*. Harley Books
- Hill, MO, Blackstock, TH, Long, DG, Rothero, GP (2008) *Check-list and census catalogue of British and Irish bryophytes*. British Bryological Society 2008 update.
- Olsson, S, Rumsey, F.J., Grundmann, M., Russell, S., Enroth, J. & Quandt, D. 2009. The origin of the British and Macaronesian endemic *Thamnobryum* species (Neckeraceae). *Journal of Bryology* 31: 1-10.

Smith, CW et al. (2009) *The Lichens of Great Britain and Ireland*. Edn 2. British Lichen Society, London

Stewart, NF & Church, JM (1991) Red Data Books of Britain and Ireland: Stoneworts. JNCC, Peterborough.

Woods, RG and Coppins, BJ (2003) *A Conservation Evaluation of British Lichens*. British Lichen Society, London. A4