

Plant & Animal Species in the Farm Environment Plan (FEP)

The range of species that HLS can address is potentially great, but the FEP does not need to include very detailed species information. There will be limited scope for gathering species information when you are in the field, but you should ask the farmer about any of the species that are mentioned in the targeting statement. Consultations with Local Record Centres and other biological recording organisations may also reveal the presence of species.

The FEP handbook contains a list of all the species that are most likely to be found on farmland and whose management needs are most easily addressed by Environmental Stewardship (ES), these species have been identified as either Features or Feature Details in their own right. Most species named in regional targeting statements will be Features. The species in the Feature Detail column are less common but their management needs can still be addressed by ES.

We have commitments to report on how our scheme affects specific species (e.g. BAP Species) and the species that we will have to report on most frequently are either Features or Feature Details.

However there are a larger number of important species that are less common but which could also benefit from management under ES. Table 2 lists species that we would wish to be recorded in Part 2 (Environmental Data Sheet) of the FEP form and identifies which part of the form they should be recorded in. For example, if an avocet is known to breed on the farm then it should be recorded in the data sheet as follows: Feature = SB19 Uncommon Birds, the Feature Detail column left blank and *Avocet* written into the Notes column. The common name, as shown in these lists, should always be used in the form; the scientific name is only supplied where there may be some confusion over the common name of the species. (This list is not exhaustive, you may record other species in the notes column but only if they are of particular significance, rare or scarce. The list will be subject to review.)

Please always ensure that a land use feature has been identified in the data sheet in the same parcel as the species feature.

The proximity and age criteria of records that should be included the FEP are given in Table 1. For example, plant seeds may remain in the seedbank for several years, so an old record may still be appropriate; however, as they are not mobile, the record needs to have been from the farm or the immediate vicinity.

Plant & Animal Species in the Farm Environment Plan (FEP)

Table 1. Proximity and age criteria of records that should be included the FEP

Species group	Location of confirmed record	Age of record
Plants and fungi	On the farm or adjacent to the farm	Within last 20 years
Breeding birds and seed-eating birds	Within 2 km of the farm	Within last five years
Wintering wildfowl	Within 2 km of the farm	Within last five years
Mammals	Within 2 km of the farm	Within last ten years
Rare reptiles and amphibians	On the farm	Within last 20 years
Invertebrates	Within 2 km of the farm	Within last 20 years

Table 2. Farm Environment Plan Species to be recorded in Part 2 of the FEP

Species group	Column headings in the FEP Form			Scientific Name
	Feature	Feature detail	Notes	
Birds	SB01 – Barn owl			<i>Tyto alba</i>
	SB02 – Bullfinch			<i>Pyrrhula pyrrhula</i>
	SB03 – Corn bunting			<i>Miliaria calandra</i>
	SB04 – Curlew			<i>Numenius arquata</i>
	SB05 – Grey partridge			<i>Perdix perdix</i>
	SB06 – Kestrel			<i>Falco tinnunculus</i>
	SB07 – Lapwing			<i>Vanellus vanellus</i>
	SB08 – Linnet			<i>Carduelis cannabina</i>
	SB09 – Redshank			<i>Tringa totanus</i>
	SB10 – Reed bunting			<i>Emberiza schoeniclus</i>
	SB11 – Skylark			<i>Alauda arvensis</i>
	SB12 – Snipe			<i>Gallinago gallinago</i>
	SB13 – Song thrush			<i>Turdus philomelos</i>
	SB14 – Starling			<i>Sturnus vulgaris</i>
	SB15 – Tree sparrow			<i>Passer montanus</i>
	SB16 – Turtle dove			<i>Streptopelia turtur</i>
	SB17 – Yellow wagtail			<i>Motacilla flava</i>
	SB18 – Yellowhammer			<i>Emberiza citrinella</i>
	SB19 – Uncommon birds	Black grouse		
Brent goose				<i>Branta bernicla</i>
Cirl bunting				<i>Emberiza cirlus</i>
Dartford warbler				<i>Sylvia undata</i>
Dunlin				<i>Calidris alpina</i>
Golden plover				<i>Pluvialis apricaria</i>
Merlin				<i>Falco columbarius</i>
Nightjar				<i>Caprimulgus europaeus</i>
Ring ouzel				<i>Turdus torquatus</i>
Stone curlew				<i>Burhinus oediconemus</i>
Twite			<i>Carduelis flavirostris</i>	
Woodlark			<i>Lullula arborea</i>	

Plant & Animal Species in the Farm Environment Plan (FEP)

Species group	Column headings in the FEP Form			Scientific Name
	Feature	Feature detail	Notes	
Birds	SB19 – Uncommon birds		Aquatic warbler	<i>Acrocephalus paludicola</i>
			Avocet	<i>Recurvirostra avosetta</i>
			Barnacle goose	<i>Branta leucopsis</i>
			Bittern	<i>Botaurus stellaris</i>
			Black-tailed godwit	<i>Limosa limosa</i>
			Chough	<i>Pyrhocorax pyrrhocorax</i>
			Corncrake	<i>Crex crex</i>
			Dotterel	<i>Charadrius morinellus</i>
			Golden eagle	<i>Aquila chrysaetos</i>
			Hen harrier	<i>Circus cyaneus</i>
			Kingfisher	<i>Alcedo atthis</i>
			Little tern	<i>Sterna albifrons</i>
			Lesser spotted woodpecker	<i>Dendrocopos minor</i>
			Marsh harrier	<i>Circus aeruginosus</i>
			Montagu's harrier	<i>Circus pygargus</i>
			Red kite	<i>Milvus milvus</i>
			Ruff	<i>Philomachus pugnax</i>
			Sandwich tern	<i>Sterna sandvicensis</i>
			Shelduck	<i>Tadorna ferruginea</i>
			Short-eared owl	<i>Asio flammeus</i>
	Spotted flycatcher	<i>Muscicapa striata</i>		
	Whooper swan	<i>Cygnus cygnus</i>		
	Willow tit	<i>Parus montanus</i>		
Fish	SF01 – Uncommon fish		Allis shad	<i>Alosa alosa</i>
			Brook lamprey	<i>Lampetra planeri</i>
			Salmon	<i>Salmo salar</i>
			Twaite shad	<i>Alosa fallax</i>
Fungi	SG01 – Uncommon fungi	Date-coloured waxcap		<i>Hygrocybe spadicea</i>
		Pink waxcap		<i>Hygrocybe calyptriformis</i>
			Bearded tooth	<i>Hericium erinaceum</i>
			Devil's bolete	<i>Boletus satanas</i>
			Olive earth-tongue	<i>Microglossum olivaceum</i>
			Fused tooth	<i>Phellodon confluens</i>
			Golden-gilled bolete	<i>Phylloporus pelletieri</i>
			Grey tooth	<i>Phellodon melaleucus</i>
			Nail fungus	<i>Poronia punctata</i>
			Oak polypore	<i>Buglossoporus pulvinus</i>
			Ridged tooth	<i>Hydnellum scrobiculatum</i>
			Scaly tooth	<i>Sarcodon imbricatus</i>
			Velvet tooth	<i>Hydnellum spongiospies</i>
	Zoned tooth	<i>Hydnellum concrescens</i>		

Plant & Animal Species in the Farm Environment Plan (FEP)

Species group	Column headings in the FEP Form			Scientific Name
	Feature	Feature detail	Notes	
Herpetiles	SH01 – Great crested newt			<i>Triturus cristatus</i>
	SH02 – Uncommon herpetiles	Natterjack toad		<i>Bufo calamita</i>
		Sand lizard		<i>Lacerta agilis</i>
Invertebrates (Ants)	SI01 – Uncommon invertebrates		Dark guest ant	<i>Anergates atratulus</i>
			Red barbed ant	<i>Formica rufibarbis</i>
Invertebrates (Bees & Wasps)	SI01 – Uncommon invertebrates	Brown-banded carder bumblebee		<i>Bombus humilis</i>
		Large garden bumblebee		<i>Bombus ruderatus</i>
		Shrill carder bee		<i>Bombus silvarum</i>
			a cuckoo bee	<i>Nomada armata</i>
			a cuckoo bee	<i>Nomada errans</i>
			a mason bee	<i>Osmia xanthomelana</i>
			a mining bee	<i>Andrena lathyri</i>
			a mining bee	<i>Andrena ferox</i>
			a solitary wasp	<i>Cerceris quinquefasciata</i>
			a spider-hunting wasp	<i>Homonotus sanguinolentus</i>
			Purbeck mason wasp	<i>Pseudepipona herrichii</i>
	Ruby-tailed wasp	<i>Chrysis fulgida</i>		
Invertebrates (Beetles)	SI01 – Uncommon invertebrates	Noble chafer		<i>Gnorimus nobilis</i>
			10 spotted pot beetle	<i>Cryptocephalus decemmaculatus</i>
			a click beetle	<i>Synaptus filiformis</i>
			a diving beetle	<i>Agabus brunneus</i>
			a diving beetle	<i>Bidessus unistriatus</i>
			a ground beetle	<i>Amara famelica</i>
			a ground beetle	<i>Harpalus froelichi</i>
			a ground beetle	<i>Pterostichus kugelanni</i>
			a reed beetle	<i>Donacia aquatica</i>
			a water beetle	<i>Helophorus laticollis</i>
			a weevil	<i>Melanapion minimum</i>
			Bast bark beetle	<i>Ernoporus tiliae</i>
			Bembridge beetle	<i>Paracymus aeneus</i>
			Cliff tiger beetle	<i>Cicindela germanica</i>
			Dune tiger beetle	<i>Cicindela maritima</i>
			Eyed longhorn beetle	<i>Oberea oculata</i>
			Flixweed leaf beetle	<i>Psylliodes sophiae</i>
	Hazel pot beetle	<i>Cryptocephalus coryli</i>		
	Heath tiger beetle	<i>Cicindela sylvatica</i>		
	Jumping weevil	<i>Rhynchaenus testaceus</i>		
	Leaf-rolling weevil	<i>Byctiscus populi</i>		

Plant & Animal Species in the Farm Environment Plan (FEP)

Species group	Column headings in the FEP Form			Scientific Name
	Feature	Feature detail	Notes	
Invertebrates (Beetles, cont.)	SI01 – Uncommon invertebrates		Maple wood-boring beetle	<i>Gastrallus immarginatus</i>
			Northern dune tiger beetle	<i>Cicindela hybrida</i>
			Pashford pot beetle	<i>Cryptocephalus exiguus</i>
			Reed beetle	<i>Donacia bicolora</i>
			Scarlet malachite beetle	<i>Malachius aeneus</i>
			Stag beetle	<i>Lucanus cervus</i>
Invertebrates (Butterflies)	SI01 – Uncommon invertebrates	Adonis blue		<i>Polyommatus bellargus</i>
		Brown hairstreak		<i>Thecla betulae</i>
		Chalkhill blue		<i>Polyommatus coridon</i>
		Duke of Burgundy		<i>Hamearis lucina</i>
		Grizzled skipper		<i>Pyrgus malvae</i>
		Heath fritillary		<i>Melitaea athalia</i>
		High brown fritillary		<i>Argynnis adippe</i>
		Marsh fritillary		<i>Euphydryas aurinia</i>
		Northern brown argus		<i>Aricia artaxerxes</i>
		Pearl-bordered fritillary		<i>Boloria euphrosyne</i>
		Silver-spotted skipper		<i>Hesperia comma</i>
		Silver-studded blue		<i>Plebejus argus</i>
		Small blue		<i>Cupido minimus</i>
			Large blue	<i>Maculinea arion</i>
	Swallowtail	<i>Papilio machaon</i>		
Invertebrates (Crickets & Grasshoppers)	SI01 – Uncommon invertebrates		Mole cricket	<i>Gryllotalpa gryllotalpa</i>
			Wart-biter	<i>Decticus verrucivorus</i>
Invertebrates (Crustaceans)	SI01 – Uncommon invertebrates		Freshwater white-clawed crayfish	<i>Austropotamobius pallipes</i>
Invertebrates (Damselflies & Dragonflies)	SI01 – Uncommon invertebrates	Southern damselfly		<i>Coenagrion mercuriale</i>
			Norfolk hawk	<i>Aeshna isosceles</i>
Invertebrates (Flies)	SI01 – Uncommon invertebrates	Hornet robberfly		<i>Asilus crabroniformis</i>
			a cranefly	<i>Lipsothrix nervosa</i>
			a hoverfly	<i>Doros profuges</i>
			Bog hoverfly	<i>Eristalis cryptarum</i>
			Dotted bee-fly	<i>Bombylius discolor</i>
			Heath bee-fly	<i>Bombylius minor</i>
Invertebrates (Molluscs)	SI01 – Uncommon invertebrates		Depressed river mussel	<i>Pseudanodonta complanata</i>
			Desmoulin's whorl snail	<i>Vertigo moulinsiana</i>

Plant & Animal Species in the Farm Environment Plan (FEP)

Species group	Column headings in the FEP Form			Scientific Name
	Feature	Feature detail	Notes	
Invertebrates (Molluscs, cont.)	SI01 – Uncommon invertebrates		Freshwater pea mussel	<i>Pisidium tenuilineatum</i>
			Freshwater pearl mussel	<i>Margaritifera margaritifera</i>
			Narrow-mouthed whorl snail	<i>Vertigo angustior</i>
			Ramshorn snail	<i>Anisus vorticulus</i>
Invertebrates (Moths)	SI01 – Uncommon invertebrates	Chalk carpet		<i>Scotopteryx bipunctaria</i>
		Narrow-bordered bee hawk-moth		<i>Hemaris tityus</i>
			Striped lynchis	<i>Cucullia lychnitis</i>
			Barberry carpet	<i>Pareulype berberata</i>
			Barred tooth-striped	<i>Trichopteryx polycommata</i>
			Basil-thyme case-bearer	<i>Coleophora tricolor</i>
			Black-banded	<i>Polymixis xanthomista</i>
			Black-veined Moth	<i>Siona lineata</i>
			Bright wave	<i>Idaea ochrata cantiata</i>
			Brighton wainscot	<i>Oria musculosa</i>
			Clay fan-foot	<i>Paracolax tristalis</i>
			Common fan-foot	<i>Pechipogo strigilata</i>
			Dark crimson underwing	<i>Catocala sponsa</i>
			Dark-bordered beauty	<i>Epione parallelaria</i>
			Dingy mocha	<i>Cyclophora pendularia</i>
			Double line	<i>Mythimna turca</i>
			Drap looper	<i>Minoa murinata</i>
			Four-spotted moth	<i>Tyta luctuosa</i>
			Heart moth	<i>Dicycla oo</i>
			Light crimson underwing	<i>Catocala promissa</i>
			Lunar yellow underwing	<i>Noctua orbona</i>
			Marsh mallow moth	<i>Hydraecia osseola hucherardi</i>
			Marsh moth	<i>Athetis pallustris</i>
			Netted carpet	<i>Eustroma reticulata</i>
			Northern dart	<i>Xestia alpicola alpina</i>
			Orange upperwing	<i>Jodia croceago</i>
			Reddish buff	<i>Acosmetia caliginosa</i>
			Scarce black-neck	<i>Lygephila cracca</i>
	Silky wave	<i>Idaea dilutaria</i>		
	Speckled footman	<i>Coscinia cribraria bivittata</i>		
	Square-spotted clay	<i>Xestia rhomboidea</i>		

Plant & Animal Species in the Farm Environment Plan (FEP)

Species group	Column headings in the FEP Form			Scientific Name
	Feature	Feature detail	Notes	
Invertebrates (Moths, cont.)	SI01 – Uncommon invertebrates		Straw belle	<i>Aspitates gilvaria gilvaria</i>
			Sword-grass	<i>Xylena exsoleta</i>
			Toadflax brocade	<i>Calophasia lunula</i>
			Waved carpet	<i>Hydrelia sylvata</i>
			White-line snout	<i>Schrankia taenialis</i>
			White-spot	<i>Hadena albimacula</i>
Invertebrates (Sea Anemones)	SI01 – Uncommon invertebrates		Starlet sea anemone	<i>Nematostella vectensis</i>
Invertebrates (Spiders)	SI01 – Uncommon invertebrates		Fen raft spider	<i>Dolomedes plantarius</i>
Lower plants (Lichens)	SL01 – Uncommon lower plants		a lichen	<i>Bacidia incompta</i>
			a lichen	<i>Bryoria smithii</i>
			a lichen	<i>Cladonia peziziformis</i>
			a lichen	<i>Teloschistes chrysophthalmus</i>
			a lichen	<i>Opegrapha paraxanthodes</i>
			Ciliate strap-lichen	<i>Heterodermia leucomelos</i>
Lower plants (Liverworts)	SL01 – Uncommon lower plants		Norfolk flapwort	<i>Lophozia rutheana</i>
			a hornwort	<i>Phaeoceros carolianus</i>
			Violet crystalwort	<i>Riccia huebeneriana</i>
Lower plants (Mosses)	SL01 – Uncommon lower plants		a moss	<i>Didymodon tomaculosus</i>
			a moss	<i>Weissia multcapsularis</i>
			a moss	<i>Weissia rostellata</i>
			Large yellow feather-moss	<i>Scorpidium turgescens</i>
			Lizard crystalwort	<i>Riccia bifurca</i>
			Long-leaved threadmoss	<i>Bryum neodamense</i>
			Nowell's limestone moss	<i>Zygodon gracilis</i>
			Round-leaved feather-moss	<i>Rhynchostegium rotundifolium</i>
			Sausage beard-moss	<i>Didymodon tomaculosus</i>
			Spreading-leaved beardless-moss	<i>Weissia squarrosa</i>
			Sterile beardless-moss	<i>Weissia sterilis</i>
			Triangular pygmy-moss	<i>Acaulon triquetrum</i>
Lower plants (Stoneworts)	SL01 – Uncommon lower plants		Convergent stonewort	<i>Chara connivens</i>
			Dwarf stonewort	<i>Nitella tenuissima</i>
			Slender stonewort	<i>Nitella gracilis</i>
			Tassel stonewort	<i>Tolypella intricata</i>

Plant & Animal Species in the Farm Environment Plan (FEP)

Species group	Column headings in the FEP Form			Scientific Name	
	Feature	Feature detail	Notes		
Mammals	SM01 – Brown hare			<i>Lepus europaeus</i>	
	SM02 – Brown long-eared bat			<i>Plecotus auritus</i>	
	SM03 – Daubenton's bat			<i>Myotis daubentonii</i>	
	SM04 – Dormouse			<i>Muscardinus avellanarius</i>	
	SM05 – Noctule bat				
	SM06 – Otter			<i>Lutra lutra</i>	
	SM07 – Pipistrelle bat			<i>Pipistrellus pipistrellus</i>	
	SM08 – Water vole			<i>Arvicola terrestris</i>	
	SM09 – Uncommon mammals	Barbastelle bat			<i>Barbastella barbastellus</i>
		Bechstein's bat			<i>Myotis bechsteinii</i>
		Brandt's bat			<i>Myotis brandtii</i>
		Greater horseshoe bat			<i>Rhinolophus ferrumequinum</i>
		Grey long-eared bat			<i>Plecotus austriacus</i>
		Leisler's bat			<i>Nyctalus leisleri</i>
		Lesser horseshoe bat			<i>Rhinolophus hipposideros</i>
Natterer's bat				<i>Myotis nattereri</i>	
Serotine bat				<i>Eptesicus serotinus</i>	
Whiskered bat				<i>Myotis mystacinus</i>	
SM09 – Uncommon mammals			Greater mouse-eared bat	<i>Myotis myotis</i>	
			Red squirrel	<i>Sciurus vulgaris</i>	
Vascular plants	SP01 – Juniper			<i>Juniperus communis</i>	
	SP02 – Uncommon vascular plants	Broad-fruited cornsalad			<i>Valerianella rimosa</i>
		Broad-leaved cudweed			<i>Filago pyramidata</i>
		Cornflower			<i>Centaurea cyanus</i>
		Perfoliate (Cotswold) pennycress			<i>Thlaspi perfoliatum</i>
		Early gentian			<i>Gentianella anglica</i>
		Marsh clubmoss			<i>Lycopodiella inundata</i>
		Pillwort			<i>Pilularia globulifera</i>
		Purple ramping-fumitory			<i>Fumaria purpurea</i>
		Red hemp-nettle			<i>Galeopsis angustifolia</i>
		Red-tipped cudweed			<i>Filago lutescens</i>
		Shepherd's-needle			<i>Scandix pecten-veneris</i>
		Small-flowered catchfly			<i>Silene gallica</i>
		Spreading hedge-parsley			<i>Torilis arvensis</i>
				a lady's-mantle	<i>Alchemilla minima</i>

Plant & Animal Species in the Farm Environment Plan (FEP)

Species group	Column headings in the FEP Form			Scientific Name
	Feature	Feature detail	Notes	
Vascular plants	SP02 – Uncommon vascular plants		Adder's-tongue spearwort	<i>Ranunculus ophioglossifolius</i>
			an eyebright	<i>Euphrasia vigursii</i>
			Bedstraw broomrape	<i>Orobanche caryophyllacea</i>
			Cambridge milk-parsley	<i>Selinum carvifolia</i>
			Childing pink	<i>Petrorhagia nanteuillii</i>
			Creeping marshwort	<i>Apium repens</i>
			Cut-grass	<i>Leersia oryzoides</i>
			Cut-leaved germander	<i>Teucrium botrys</i>
			Deptford pink	<i>Dianthus armeria</i>
			Downy woundwort	<i>Stachys germanica</i>
			Early spider-orchid	<i>Ophrys sphegodes</i>
			Fen orchid	<i>Liparis loeselii</i>
			Fen ragwort	<i>Senecio paludosus</i>
			Fen violet	<i>Viola persicifolia</i>
			Field fleawort	<i>Tephrosia integrifolia maritima</i>
			Fingered speedwell	<i>Veronica triphyllos</i>
			Floating water-plantain	<i>Luronium natans</i>
			Four leaved allseed	<i>Polycarpon tetraphyllum</i>
			Greater yellow-rattle	<i>Rhinanthus serotinus</i>
			Holly-leaved naiad	<i>Najas marina</i>
			Late spider-orchid	<i>Ophrys fuciflora</i>
			Lundy cabbage	<i>Coincya wrightii</i>
			Meadow clary	<i>Salvia pratensis</i>
			Military orchid	<i>Orchis militaris</i>
			Monkey orchid	<i>Orchis simia</i>
			Oxtongue broomrape	<i>Orobanche loricata</i>
			Pennyroyal	<i>Mentha pulegium</i>
			Plymouth pear	<i>Pyrus cordata</i>
			Prickly sedge	<i>Carex muricata ssp. muricata</i>
			Pygmy rush	<i>Juncus pygmaeus</i>
	Sand crocus	<i>Romulea columnae</i>		
	Small fleabane	<i>Pulicaria vulgaris</i>		
	Spiked rampion	<i>Phyteuma spicatum</i>		
	Spiked speedwell	<i>Veronica spicata</i>		
	Starfruit	<i>Damasonium alisma</i>		
	Stinking hawk's-beard	<i>Crepis foetida</i>		

Plant & Animal Species in the Farm Environment Plan (FEP)

Species group	Column headings in the FEP Form			Scientific Name
	Feature	Feature detail	Notes	
Vascular plants	SP02 – Uncommon vascular plants		Thistle broomrape	<i>Orobanche reticulata</i>
			Three-lobed water-crowfoot	<i>Ranunculus tripartitus</i>
			Tower mustard	<i>Arabis glabra</i>
			True fox sedge	<i>Carex vulpina</i>
			Viper's-grass	<i>Scorzonera humilis</i>
			Water germander	<i>Teucrium scordium</i>
			Western ramping-fumitory	<i>Fumaria occidentalis</i>
			Yellow marsh saxifrage	<i>Saxifraga hirculus</i>
			Young's helleborine	<i>Epipactis youngiana</i>

Table 3. High Value Arable Margin Indicator Species

This list shows plant species that are indicative of high quality arable field margins. Areas which support these species may also support other important plant and animal species (particularly invertebrates) and should be managed under one of the ELS or HLS arable options in order to conserve them. These species are not as rare as the arable plants listed as Feature Details for SP02 – Uncommon vascular plants. If any of these more common species, listed in the table below, are known to occur then they can be recorded in the Notes column in Part 2 of the FEP form, associated with the appropriate land-use feature, which will typically be 'A01 – Arable'.

Species that are indicative of high value arable margins	
Common Name	Scientific Name
Allseed	<i>Polycarpon tetraphyllum</i>
Annual knawel	<i>Scleranthus annus</i>
Broad-leaved spurge	<i>Euphorbia platyphyllos</i>
Bur chervil	<i>Anthriscus caucalis</i>
Corncockle	<i>Agrostemma githago</i>
Corn buttercup	<i>Ranunculus arvensis</i>
Corn chamomile	<i>Anthemis arvensis</i>
Corn marigold	<i>Chrysanthemum segetum</i>
Corn parsley	<i>Petroselinum segetum</i>
Cornfield knotgrass	<i>Polygonum rurivagum</i>
Darnel	<i>Lolium temulentum</i>
Dense-flowered fumitory	<i>Fumaria densiflora</i>
Few-flowered fumitory	<i>Fumaria vaillantii</i>
Field gromwell	<i>Lithospermum arvense</i>
Field woundwort	<i>Stachys arvensis</i>
Fine-leaved fumitory	<i>Fumaria parviflora</i>
Fine-leaved sandwort	<i>Minuartia hybrida</i>

Plant & Animal Species in the Farm Environment Plan (FEP)

Species that are indicative of high value arable margins

Common Name	Scientific Name
Flixweed	<i>Descurainia sophia</i>
Grass poly	<i>Lythrum hyssopifolium</i>
Great pignut	<i>Bunium bulbocastanum</i>
Ground pine	<i>Ajuga chamypitys</i>
Knotted hedge-parsley	<i>Torilis nodosa</i>
Large-flowered hemp-nettle	<i>Galeopsis speciosa</i>
Lesser quaking grass	<i>Briza minor</i>
Loose silky-bent	<i>Apera interrupta</i>
Maple-leaved goosefoot	<i>Chenopodium hybridum</i>
Mousetail	<i>Myosurus minimus</i>
Musk stork's-bill	<i>Erodium moschatum</i>
Narrow-fruited cornsalad	<i>Valerianella dentata</i>
Narrow-leaved cudweed	<i>Filago gallica</i>
Night-flowered catchfly	<i>Silene noctiflora</i>
Nit-grass	<i>Gastridium ventricosum</i>
Northern deadnettle	<i>Lamium confertum</i>
Pheasant's eye	<i>Adonis annua</i>
Prickly poppy	<i>Papaver argemone</i>
Rough poppy	<i>Papaver hybridum</i>
Round-leaved fluellen	<i>Kickxia spuria</i>
Rye brome	<i>Bromus secalinus</i>
Sand catchfly	<i>Silene conica</i>
Slender tare	<i>Vicia parviflora</i>
Small-flowered buttercup	<i>Ranunculus parviflorus</i>
Smith's pepperwort	<i>Lepidium heterophyllum</i>
Stinking chamomile	<i>Anthemis cotula</i>
Tall ramping-fumitory	<i>Fumaria bastardii</i>
Venus's-looking-glass	<i>Legousia hybrida</i>
Weasel's-snout	<i>Misopates orontium</i>
Wild pansy	<i>Viola tricolor</i>
Yellow vetchling	<i>Lathyrus aphaca</i>